

CLEANING INSTRUCTIONS



FOR SENTEC
& MARBOND

LAUFEN

EVERYDAY CLEANING





The surface gathers hardly any dirt and is easy to clean and maintain. It is recommended to clean any kind of dirt as soon as it appears in order to keep the product in its best condition.

Avoid using scouring agents with grains or solvents, which may damage the surface of the product. Do not use strong acidic cleaning agents or vinegar-based cleaning agents. Please use agents with a pH value between 3 and 8 to make sure not to harm the surface. A light solution can be used on resistant stains or limescale. Before using new cleaning agents please try them on small areas of the product first.

Most of the stains caused by everyday use can be removed using products dedicated for Solid Surface and Acrylic surfaces, applied with a soft damp cloth (i.e. cotton or microfibre) or soft paper-towel.

Rust and limescale can be removed by using a damp cloth with a cleaning agent dedicated for this kind of stains.

After applying any cleaning product, rinse all areas thoroughly with warm water in order to remove the detergent and dry all wet surfaces with soft cotton or microfibre cloth.

RESISTANT STAINS





Resistant stains caused by cosmetics, coffee, wine, cigarette ash, detergents, nail polish and hair dye should be removed immediately with a soft cloth. Afterwards, clean the stains in the same way as with daily care. It is recommended to use the cleaning agent only with soft cotton or microfibre cloth. Please be aware that any scratching materials (e.g. scotch brite) should not be used on Marbond material.

If your product is made from Sentec you can use a scotch brite and cleaning cream without grains to clean stains. This cleaning process should be performed on the entire surface of the product, in series of movements: right-left, up-down, diagonal and circular for finishing. Please remove extremely persistent stains with the polishing machine. In this case it is recommended to contact authorized service technicians.

REMOVAL OF SCRATCHES PRODUCT REFURBISHMENT





Scratches on Sentec material can be removed using a scotch brite and plain cleaning cream or a polishing machine. Follow the same cleaning process as for stains. When using the polishing machine, please contact authorized service technicians.

One of the advantages of Sentec and Marbond is that the material is renewable. In case of deep damages, both materials allow the product to be restored to its original appearance. This service requires an appropriate repair-kit (available upon order) and is to be provided by authorized service technicians.

GENERAL REMARKS





Any material that is improperly used or poorly maintained may be damaged. Damage resulting from inappropriate treatment by the user will not be covered by our guarantee. The most common problems resulting in the loss of warranty services may arise as a result of:

- _ Use of aggressive chemicals
(e.g. acetone-based agents, aggressive solvents, drain cleaners, etc.)

 - _ Contact of the product with strong chemicals, boiling liquids and hot objects

 - _ Mechanical damage,
in particular impacts or scratches with a sharp object
-

CHEMICALS	SENTEC: HOW TO CLEAN?	MARBOND: HOW TO CLEAN?
Acid	Rinse with water	Rinse with water
Alkalines	Clean with scotch brite	Rinse with water
Alcohols	Clean with scotch brite	Rinse with water
Bleaches	Rinse with water	Rinse with water



STAIN	SENTEC: HOW TO CLEAN?	MARBOND: HOW TO CLEAN?
Red wine	Clean with sponge and cleaning agent	Clean with soft cloth and water
Coffee	Clean with sponge and cleaning agent	Rinse with water
Tea	Clean with sponge and cleaning agent	Rinse with water
Essential oils	Clean with sponge and water	Rinse with water
Lipstick	Clean with sponge and cleaning agent	Rinse with water
Hair dye	Clean with sponge and cleaning agent use	Immediately rinse with water and clean with a soft cloth
Hair spray	Cleaning with sponge and cleaning agent	Clean with soft cloth and water
Candle and wax	The bathtub, after being in contact with the hot candle and wax, did not get damaged or deformed.	The bathtub, after being in contact with the hot candle and wax, did not get damaged or deformed.
Sand	Rinse with water, be careful not to cause any scratches	Rinse with water, no defects on surface of bathtub

Please be aware that these cleaning measures are for extremely resistant stains. In any case it is best to remove the stain immediately with a soft cloth. If the stain remains please use these measures listed in this table.



www.laufen.com



download brochures



www.bim.laufen.com

www.facebook.com/laufenbathrooms

www.twitter.com/laufenbathrooms

www.youtube.com/laufenbathrooms1

www.instagram.com/laufenbathrooms

www.pinterest.com/laufenbathrooms

LAUFEN Bathrooms AG
Wahlenstrasse 46
CH-4242 Laufen
Tel. +41 61 765 71 11
feedback@laufen.ch

LAUFEN